

RS4



A world first when introduced and still setting the standard, the RS-4 features three ECE approved functions in one compact unit. During daytime driving, the 10 x 0.5W LEDs illuminate to become daytime running lights (DRL). When the vehicle side lights are switched on, these LEDs run at reduced intensity, while switching on the vehicle High Beam, activates the 4 x 11W LEDs, to deliver huge illumination on the road. Our Dual-Optic reflector system combine with advanced thermal management systems for optimising light output under all conditions.











HYBRID OPTIC LED DRIVING LAMPS




HIGH PERFORMANCE LIGHTIN

RS4



- Dual optic reflector system delivers class leading distance and mid-range spread of light
- Integrated Daytime Running Light dims to become Position Light
- Highest output LED 'bins' selected for optimal performance
- CAE optimised heatsink and electronic thermal management
- 'Unbreakable' polycarbonate lens





LAZER LAMPS LTD

Units 1+2, Harlow Mill Business Centre, Riverway, Harlow, Essex. CM20 2FD. UK

Tel: +44(0)1992 677374 Email: sales@lazerlamps.com www.lazerlamps.com



TECHNICAL SPECIFICATIONS







TECHNICAL SPECIFICATIONS	
E-MARK REF	7.5
VOLTAGE RANGE	9V - 32V
RAW LUMENS	3940
BEAM PATTERN	Hybrid
OPTICAL EFFICIENCY	88%
BEAM DISTANCE (0.25LX)	485m
# HIGH POWER LEDS	4 + 10
POWER CONSUMPTION	48 Watts
CURRENT DRAW [†]	3.3 Amps
LED LIFE	50,000 Hrs*
WEIGHT	800g
* LED Manufacturore Checifications † At 1/. / Volta	

^{*} LED Manufacturers Specifications †At 14.4 Volts

